

**Organomation Associates, Inc.**  
*Represented by Thomson Instruments*

Telephone:  
800-842-4752

Fax Line:  
540-667-6878

Catalog  
Number

**Extractor & Solvent Evaporator Prices**

Ship Weight  
lb/kg

Price  
US Dollars

Catalog Number	Description	Ship Weight lb/kg	Price US Dollars
<b>ROT-X-TRACT-L Liquid-Liquid Extractors</b>			
Instruments			
13318	ROT-X-TRACT-LC 8 pos. bath 1200w, Corning Accelerated One-Step . . .	145/66	4,300.
13305	ROT-X-TRACT-L 5 pos. bath 1000w, power/water control box . . . . .	125/57	3,980.
13308	ROT-X-TRACT-L 8 pos. bath 1600w, power/water control box . . . . .	145/66	4,580.
13310	ROT-X-TRACT-L 10 pos. bath 1600w, power/water control box . . . . .	145/66	4,850.
13302	Control box ROT-X-TRACT for power & water supply control 120v . . .	15/07	1,580.
14080	ROT-X-TRACT-LM 8 pos. bath 500w, water flow meter . . . . .	24/11	1,430.
<b>ROT-X-TRACT-S Solid-Liquid Extractors</b>			
Systems			
13075	ROT-X-TRACT-S 8 pos Soxhlet extractor system, 13070 GS3137 . . . .	85/39	4,240.
13085	ROT-X-TRACT-S 5 pos Soxhlet extractor system, 13080 GS3150 . . . .	85/39	3,880.
13095	ROT-X-TRACT-S 10 pos Soxhlet extractor system, 13090 GS3137 . . . .	100/45	6,150.
13005	ROT-X-TRACT-S 8 pos Soxhlet extractor system, 13008 GS3150 . . . .	80/27	5,890.
Instruments			
13070	ROT-X-TRACT-S 8 pos. bath 1000w for 37mm Soxhlet, 250ml FB fl . . .	35/16	2,890.
13080	ROT-X-TRACT-S 5 pos. bath 1000w for 50mm Soxhlet, 500ml FB fl . . .	35/16	2,580.
13090	ROT-X-TRACT-S 10 pos. bath 1400w for 37mm Soxhlet, 250ml FB fl . . .	45/20	4,290.
13008	ROT-X-TRACT-S 8 pos. bath 1400w for 50mm Soxhlet, 500ml FB fl . . .	65/30	3,970.
13650-2	ROT-X-TRACT-HP 8 pos hot plate 3000w 240v, cond assembly . . . . .	65/30	3,350.
<b>S-EVAP Solvent Evaporators for Round Flasks</b>			
Systems			
12085	S-EVAP 8 pos evap system, individual collect, 12080 GS2162 . . . .	60/27	3,880.
12085	S-EVAP 5 pos evap system, individual collect, 12080 GS2163 . . . .	60/27	3,290.
12095	S-EVAP 10 pos evap system, individual collect, 12090 GS2182 . . . .	100/45	5,740.
12005	S-EVAP 8 pos evap system, individual collect, 12008 GS2163 . . . .	100/45	5,190.
Instruments			
12080	S-EVAP 8 pos. bath 1000w for 250ml round flasks . . . . .	35/16	2,890.
12080	S-EVAP 5 pos. bath 1000w for 500ml round flasks . . . . .	35/16	2,580.
12090	S-EVAP 10 pos. bath 1400w for 250ml round flasks . . . . .	45/20	4,290.
12008	S-EVAP 8 pos. bath 1400w for 500ml round flasks . . . . .	45/20	3,970.
<b>S-EVAP Solvent Evaporators for Kuderna-Danish Flasks</b>			
Systems			
12025	S-EVAP 8 pos evap system, individual collect, 12027 GS2152 . . . .	95/43	4,990.
12035	S-EVAP 5 pos evap system, individual collect, 12037 GS2153 . . . .	95/43	4,100.
12012	S-EVAP 10 pos evap system, individual collect, 12010 GS2152 . . . .	100/45	6,790.
12015	S-EVAP 8 Pos evap system, individual collect, 12018 GS2153 . . . .	115/52	6,250.
12025-C8	S-EVAP 8 pos evap system, central collect, 12027 GS2152-C GS2158-C8	95/43	5,390.
12035-C5	S-EVAP 5 pos evap system, central collect, 12037 GS2153-C GS2158-C5	95/43	4,400.
12015-C8	S-EVAP 8 pos evap system, central collect, 12018 GS2153-C GS2158-C8	115/52	6,850.
Instruments			
12027	S-EVAP 8 pos. bath 1000w for 250ml Kuderna-Danish flasks . . . . .	65/30	2,980.
12027-DC	S-EVAP 8 pos. bath 1000w. delete condenser/water manifold assembly.	55/25	2,160.
12037	S-EVAP 5 pos. bath 1000w for 500ml Kuderna-Danish flasks . . . . .	65/30	2,840.
12010	S-EVAP 10 pos. bath 1400w for 250ml Kuderna-Danish flasks . . . . .	45/20	4,290.
12018	S-EVAP 8 pos. bath 1400w for 500ml Kuderna-Danish flasks . . . . .	65/30	4,250.
12018-DC	S-EVAP 8 pos. bath 1400w. delete condenser/water manifold assembly.	60/27	3,190.
12048	S-EVAP 5 pos. bath 1400w for 1000ml Kuderna-Danish flasks . . . . .	65/30	4,190.
12002	Control box S-EVAP & ROT-X-TRACT w/ electronic temp ctrl, timer . . . .	10/05	1,090.
-N	Nitrogen manifold, tubing & connectors, 5, 8 or 10 position S-EVAP & ROT-TRACT .		+ 290.
-V	Vacuum manifold, tubing & connectors, 5, 8 or 10 position S-EVAP & ROT-X-TRACT.		+ 320.
<b>Options for Heating Devices</b>			
-Z	Intrinsically safe heater case, passive type Z-purge, gauge & filter . . . . .		+ 185.
-ZX	Intrinsically safe heater case, active type Z-purge, gauge & filter . . . . . (Z & ZX are safety options recommended when using flammable solvents)		+ 495.
-2	240 volt wiring, specify electrical plug type . . . . .		+ 0.

**Organomation Associates, Inc.**  
*Represented by Thomson Instruments*

Telephone:  
800-842-4752

Fax Line:  
540-667-6878

Catalog  
Number

**Extractor & Solvent Evaporator Accessory Prices**  
Description

Price  
US Dollars

XA3248	Adapter ring plastic for 3.0 in hole, 125ml flask . . . . .	3.90
XA2248	Adapter ring plastic for 3.5 in hole, 250ml flask . . . . .	4.90
XA2249	Adapter ring plastic for 3.875in hole, 250ml flask . . . . .	4.90
XA7742	Chiller connection kit for 1 instrument, tubing & connectors . . . . .	57.00
XA7743	Chiller connection kit for 2 instruments, tubing & connectors . . . . .	78.00
XA7753	Chiller connection kit for 3 instruments, tubing & connectors . . . . .	290.00
XA2250	Clamp holder & 8 clamps for ROT-X-TRACT 130, S-EVAP 120 . . . . .	330.00
XA2252	Clamp holder & 5 clamps for ROT-X-TRACT 130, S-EVAP 120 . . . . .	250.00
XA2254	Clamp holder & 10 clamps for ROT-X-TRACT 130, S-EVAP 120 . . . . .	360.00
XA3282	Cover plastic for 2.125 in bath cover disk holes . . . . .	4.80
XA3280	Cover plastic for 3.0 in bath cover disk holes . . . . .	4.80
XA2281	Cover plastic for 3.875 in bath cover disk holes . . . . .	5.80
XA2292	Rack concentrator tube for 10ml tubes, rectangular 16 pos . . . . .	72.00
XA2291	Rack Snyder column drying/asetup for 28mm or less diameter, 40 pos . . . . .	98.00
XA2290	Rack KD set up for 250 / 500ml flasks, rectangular 8 pos . . . . .	168.00
XA0831	Regulator pressure reduce for water supply . . . . .	60.00
NA1110	Thermometer 6in long 100 degree C for 4.5in deep water bath . . . . .	32.00

Catalog  
Number

**Glassware Accessory Prices**  
Description

Price  
US Dollars

GA2245	Boiling grids FEP elongated shapes, 100 each . . . . .	25.00
GA3448	Clamp ball joint, for Corning Accelerated One-Step Snyder column . . . . .	21.80
GA2272	Clip glassware Delrin blue, for joint size 19/22 . . . . .	2.90
GA2272-A	Clip glassware Delrin blue, for joint size 19/22, 2 pc adjustable . . . . .	3.70
GA2273-A	Clip glassware Delrin blue, for joint size 24/40, 2 pc adjustable . . . . .	4.20
GA2273	Clip glassware Delrin green, for joint size 24/40 . . . . .	2.90
GA2272-S	Clip glassware steel blue epoxy coated, for joint size 19/22 . . . . .	4.90
GA2273-S	Clip glassware steel green epoxy coated, for joint size 24/40 . . . . .	4.90
GA3444	Membrane ceramic ring for Corning Accelerated One-Step . . . . .	18.90
GA3445	Membrane cup & coupler plastic for Corning Accelerated One-Step . . . . .	43.00
GA3446-20	Membranes for Corning Accelerated One-Step extractor, pkg of 20 . . . . .	182.00
GA3446-200	Membranes for Corning Accelerated One-Step extractor, pkg of 200 . . . . .	1,720.00
GA2285-H	Sleeve FEP, thick wall ribbed for 19/22 glass joints . . . . .	9.70
GA2286-H	Sleeve FEP, thick wall ribbed for 24/40 glass joints . . . . .	10.70
GA2285	Sleeve FEP, thin wall for 19/22 glass joints . . . . .	2.80
GA2286	Sleeve FEP, thin wall for 24/40 glass joints . . . . .	3.00
GA3283	Sleeve FEP, thin wall for 34/45 glass joints . . . . .	2.80
GA3284	Sleeve FEP, thin wall for 45/50 glass joints . . . . .	3.20
GA3285	Sleeve FEP, thin wall for 55/50 glass joints . . . . .	4.90
GA2283	Spring ss .25 x .5in for glass concentrator tubes, pair . . . . .	0.80
GA3288-I	Tube fitting insert silicone w FEP face for 1/4in red cap . . . . .	3.30
GA3289-I	Tube fitting insert silicone w FEP face for 3/8in red cap . . . . .	5.90
GA3288	Tube fitting red cap for 1/4in tubing . . . . .	1.80
GA3289	Tube fitting red cap for 3/8in tubing . . . . .	2.80
GA3290	Tubing FEP flexible 1/4x8in long for central solvent collect . . . . .	15.20
GA3291	Tubing FEP 3/8x38in long for central solvent flask drain . . . . .	12.00
GA3447	Tubing, connectors, stopcock FEP for Corning Accelerated One-Step . . . . .	89.00
GA3457	Tubing, connectors, stopcock FEP for OAI design liq-liq extlevap . . . . .	65.00
GA3458	Tubing, connectors, for OAI design liquid-liquid extractor . . . . .	31.00

\$20.00 minimum for purchase orders or C O D. No minimum for credit card orders.

**Organomation Associates, Inc.**  
*Represented by Thomson Instruments*

Telephone:  
800-842-4752

Fax Line:  
540-667-6878

Catalog Number	Glassware Sets for ROT-X-TRACT & S-EVAP	Ship Weight lb/kg	Price US Dollars
Description			
GS3380	Corning Accelerated One-Step (r) l-l extractor 1000ml one position	10/ 5	790.00
GS3370	OAI design liquid-liquid extractor 1000ml one position, KD flask	10/ 5	420.00
GS3372	OAI design liquid-liquid extractor 1000ml one position, RB flask	10/ 5	365.00
GS3352	Hershberg-Wolfe liquid-liquid extractor 1000ml, KD flask 250ml, concentrator tube 10ml insulated, Allihn condenser, fit.	10/ 5	570.00
GS3362	Hershberg-Wolfe liquid-liquid extractor 1000ml, round flask 250ml, Allihn condenser, fit.	10/ 5	499.00
GS4082	Micro l-l extractor 100ml, round flask 100ml, Allihn condenser	5/ 2	283.00
One Position for Rot-X-Tract-S			
GS3129	Soxhlet s-l extractor 29mm, round flask 125ml, Allihn condenser	7/ 3	164.00
GS3137	Soxhlet s-l extractor 37mm, round flask 250ml, Allihn condenser	7/ 3	205.00
GS3150	Soxhlet s-l extractor 50mm, round flask 500ml, Allihn condenser	7/ 3	238.00
GS3170	Soxhlet s-l extractor 70mm, round flask 1000ml, Allihn condenser	7/ 3	248.00
One Position for Rot-X-Tract-SE			
GS3129-ER	Sox-Evap s-l extractor/evaporator 29mm (flood extractor), round flask 125ml, Allihn condenser.	7/ 3	268.00
GS3137-ER	Sox-Evap s-l extractor/evaporator 37mm (central collect), round flask 250ml, Allihn condenser.	7/ 3	294.00
GS3150-ER	Sox-Evap s-l extractor/evaporator 50mm (central collect), round flask 500ml, Allihn condenser.	7/ 3	308.00
GS3137-EK	Sox-Evap s-l extractor/evaporator 37mm (central collect), KD flask 250ml, concentrator tube 10ml insulated, Allihn condenser.	7/ 3	374.00
GS3150-EK	Sox-Evap s-l extractor/evaporator 50mm (central collect), KD flask 500ml, concentrator tube 10ml insulated, Allihn condenser.	7/ 3	383.00
GS3170-EK	Sox-Evap s-l extractor/evaporator 70mm (central collect), KD flask 1000ml, concentrator tube 10ml insulated, Allihn condenser.	7/ 3	396.00
One Position for S-EVAP-RB			
Individual Collection			
GS2181	Round flask 125ml, round flask 250ml, Hopkins condenser 375mm . . .	7/ 3	159.00
GS2182	Round flask 250ml 2 each, Hopkins condenser 375mm w side arm . . .	7/ 3	161.00
GS2183	Round flask 500ml 2 each, Hopkins condenser 375mm w side arm . . .	7/ 3	164.00
Central Collection			
GS2181-C	Round flask 125ml, Hopkins condenser 395mm w tube fitting . . . .	7/ 3	149.00
GS2182-C	Round flask 250ml, Hopkins condenser 395mm w tube fitting . . . .	7/ 3	152.00
GS2183-C	Round flask 500ml, Hopkins condenser 395mm w tube fitting . . . .	7/ 3	154.00
One Position for S-EVAP-KD			
Individual Collection			
GS2152	KD flask 250ml, Snyder column 3-ball 255mm, conc tube 10ml insul, Hopkins condenser 280mm individual collect, round flask 500ml.	7/ 3	268.00
GS2153	KD flask 500ml, Snyder column 3-ball 255mm, conc tube 10ml insul, Hopkins condenser 280mm individual collect, round flask 500ml.	7/ 3	268.00
Central Collection			
GS2152-C	KD flask 250ml, Snyder column 3-ball 255mm, conc tube 10ml insul, Hopkins condenser 280mm w tube fitting.	7/ 3	268.00
GS2153-C	KD flask 500ml, Snyder column 3-ball 255mm, conc tube 10ml insul, Hopkins condenser 280mm w tube fitting.	7/ 3	268.00
Reduced Height			
GS2152-S	KD flask 250ml, Snyder column combo 280mm, conc tube 10ml insul, Hopkins condenser combo 270mm, round flask 250ml.	7/ 3	298.00
GS2153-S	KD flask 500ml, Snyder column combo 280mm, conc tube 10ml insul, Hopkins condenser combo 270mm, round flask 500ml.	7/ 3	298.00
ROT-X-TRACT & S-EVAP Central Solvent Collection Kits			
GS2158-C5	Central collection flask 2.5l 5 port, Teflon tubing & fittings . . .	8/ 4	390.00
GS2158-C8	Central collection flask 2.5l 8 port, Teflon tubing & fittings . . .	8/ 4	430.00
GS2158-C5	Central collection flask 4.0l 5 port, Teflon tubing & fittings . . .	10/ 5	440.00
GS2158-C8	Central collection flask 4.0l 8 port, Teflon tubing & fittings . . .	10/ 5	460.00